

Barriers to Access Although Northwest Indiana respondents as a whole report less difficulty accessing healthcare (namely acquiring appointments with physicians) than found nationwide, African American respondents, as well as those living below or near the poverty level, are more likely to report difficulty accessing healthcare. Cost of physician visits is the only tested barrier that appears to impact an above-average share of Northwest Indiana adults as a whole.

Emergency Room Services

Northwest Indiana respondents living in poverty and African American respondents are much more likely to utilize emergency room services.

Health Insurance

African American respondents and those living below or near the poverty level are less likely to have health insurance coverage.

Primary Care Services

Hispanic and African American respondents, as well as those living below poverty, are less likely to have a specific source of ongoing care for their healthcare needs.

| % Cost Prevented Physicitatin Visit in Past Yr | 11.5 | |
|--|------|--|
| | | |
| | | |
| % Difficulty Getting Child 5.Bealthcare in Past Yr | 4.6 | |

| % Cost Prevented Getting 89 in Past Yr | 16 |] |
|--|-------|----|
| 70 COSt i Teverited Gettingrotælli i ast 11 |] [10 | |
| % Lack Health Insurance (178464) | 15.3 | 0 |
| % Gone to ER More That 1904nce in Past Yr | 8.5 | |
| % Transportation Prevented Dr Visit in Past Yr | 5.8 | |
| % Difficulty Finding Physieian in Past Yr | 8.7 | |
| % Have Had Routine Cheவியி in Past Yr | 68.2 | |
| % Have a Specific Source 6f8Ongoing Care | 79 | 96 |
| % Child Has Had Checkup99r8Past Yr | 89 | |
| % Child (2-17) Has Visite 772 ntist in Past Yr | 75.9 | 56 |
| % Have Visited Dentist in 6P4ast Yr (18+) | 64.3 | 56 |
| % Difficulty Getting Appointment in Past Yr | 13.3 | |

% Difficulty Accessing Healthcare in Past Year 36 7